


HYDRA RAINMASTER

multi-stage self-cleaning filters

Range of multi-stage self-cleaning filters
especially designed for the filtration and treatment of rainwater,
in re-cycling applications



-RAH-



-CB EC-



-FA-

HYDRA RAINMASTER

ACCESSORIES ON DEMAND

| PART NUMBER | MODEL DESCRIPTION |
|-------------|-------------------|
|-------------|-------------------|

| | |
|-----------|-----------------------------|
| RE9020650 | LUBRIKIT - O-Ring lubricant |
|-----------|-----------------------------|

| PART NUMBER | MODEL DESCRIPTION |
|-------------|-------------------|
|-------------|-------------------|

| | |
|-----------|--|
| RB7404021 | gauge kit for DP DUO and DP TRIO models with 3/4" and 1" threads |
|-----------|--|

HYDRA RAINMASTER CARTRIDGES

SPARE PARTS

| PART NUMBER | MODEL DESCRIPTION |
|-------------|-------------------|
|-------------|-------------------|

| | |
|-----------|--|
| RA5000020 | HYDRA RAH 90 mcr stainless steel cartridge |
|-----------|--|

| PART NUMBER | MODEL DESCRIPTION |
|-------------|-------------------|
|-------------|-------------------|

| | |
|-----------|---|
| RE7120040 | stainless steel AISI 316 cartridge spring |
|-----------|---|

| PART NUMBER | MODEL DESCRIPTION |
|-------------|-------------------|
|-------------|-------------------|

| | |
|-----------|------------------------|
| RE5395109 | CB-EC CTO 10 SX 10 mcr |
|-----------|------------------------|

| | |
|-----------|-----------------|
| RE5115411 | FA 10 SX 25 mcr |
|-----------|-----------------|

ACCESSORIES INCLUDED



-X- wrench



-DUO- wall bracket



-TRIO- wall bracket



-DRAIN KIT-



Filterfit

HYDRA RAINMASTER

HOUSINGS RANGE



DUO



TRIO

HYDRA
RAINMASTER

FILTER MODEL

DUO

VERSION

3/4"

IN / OUT


3/4"

1"

NPT IN

THREADS TYPE

NPT IN - PLASTIC NPT *



RAH

PREFILTER CARTRIDGE


CB EC

POSTFILTER CARTRIDGE


CB EC - CARBON BLOCK



LA - GRANULAR ACTIVATED CARBON




www.atlasfiltri.com



* NPT tapered
ANSI/ASME B1.20.1



HYDRA RAINMASTER



WORKING CONDITIONS

Max working pressure _____ 125 psi (8,6 bar)
 Min working pressure _____ 26 psi (1,8 bar)
 Max working temperature _____ 113°F (45°C)
 Min working temperature _____ 39.2°F (4°C)

SPECIFICATIONS

Non-toxic materials, suitable for drinking water.
 Head: reinforced polypropylene.
 Sump: PET.
 O-rings: EPDM.
 Vent-valve: body stainless steel, o-ring EPDM.
 Drain ball-valve: CW 617 N brass nickel plated.
 Drain funnel: reinforced polypropylene.



DRAIN FUNNEL
 Back-flow preventing device
 UNI EN 1717-11/2002

HYDRA RAINMASTER DUO RAH

with stainless steel and Carbon Block cartridges

HOUSINGS WITH PLASTIC NPT THREADS



| PART NUMBER | MODEL DESCRIPTION | SELF CLEANING NOMINAL FILTRATION MICRON | POST CARTRIDGE NOMINAL FILTRATION MICRON | IN/OUT | FLOW RATE (gpm) | DIMENSIONS (inches) | | |
|-------------|--|---|--|--------|-----------------|---------------------|-----|-----|
| | | | | | | A | B | C |
| RA6096126 | HYDRA RAINMASTER DUO RAH CB/EC 3/4" NPT IN | 90 | 10 | 3/4" | 22.00 | 15.4 | 9.0 | 4.2 |
| RA6096136 | HYDRA RAINMASTER DUO RAH CB/EC 1" NPT IN | 90 | 10 | 1" | 25.1 | 15.4 | 9.0 | 4.2 |

HYDRA RAINMASTER TRIO RAH

with stainless steel, string wound and Carbon Block cartridges

HOUSINGS WITH PLASTIC NPT THREADS



| PART NUMBER | MODEL DESCRIPTION | SELF CLEANING NOMINAL FILTRATION MICRON | SEDIMENT NOMINAL FILTRATION MICRON | POST CARTRIDGE NOMINAL FILTRATION MICRON | IN/OUT | FLOW RATE (gpm) | DIMENSIONS (inches) | | |
|-------------|---|---|------------------------------------|--|--------|-----------------|---------------------|------|-----|
| | | | | | | | A | B | C |
| RA6095126 | HYDRA RAINMASTER TRIO RAH CB/EC 3/4" NPT IN | 90 | 25 | 10 | 3/4" | 21.1 | 15.4 | 13.2 | 4.2 |
| RA6095136 | HYDRA RAINMASTER TRIO RAH CB/EC 1" NPT IN | 90 | 25 | 10 | 1" | 24.2 | 15.4 | 13.2 | 4.2 |



www.atlasfiltri.com